





CYEG 071400Z 15002KT 12SM SCT008 BKN017 OVC039 M01/M02 A2987 RMK SF4SC2SC2 BR SLP147=


CYEG 071300Z 16002KT 12SM -SN OVC008 M01/M03 A2987 RMK ST8 BR SLP145=

CYEG 071200Z 14005KT 15SM -SN OVC009 M01/M03 A2987 RMK ST8 SLP144=


CYEG 071100Z 13007KT 15SM -SN BKN009 OVC012 M01/M03 A2987 RMK SC7SC1 SLP145=

CYED 071200Z AUTO 16003KT 9SM OVC013 M00/ A2987 RMK SLP143=





CMC 850 hPa analysis 12Z Tues 7 April 2015



P0H Vld Mar-Tue 06Z 07 Avr-Apr 2015


Arrière plan: Humidité relative à 700 hPa (50,70,90%)

Hauteur géopotentielle à 700 hPa (dam)

SRPD/RDPS

Background: Rel

Geopotential hei



150407/1200 71119

WSE

SHOW:

6 LIFT:



CAPE:

0 EQLV:

LCLT:

270 LCLP:

MSC/SMC-CMC GOES-15 2015-04-07 12:00 UTC IR



TEXT

71119 WSE Edmonton Stony Plain Observations at 12Z 07 Apr 2015

PRES hPa	HGHT m	TEMP C	DWPT C	RELH %	MIXR g/kg	DRCT deg	SKNT knot	THTA K	THTE K	THTV K
1000.0	115									
925.0	744									
923.0	766	-1.5	-2.8	91	3.39	130	3	277.9	287.5	278.5
905.8	914	-2.5	-3.5	93	3.27	145	9	278.4	287.7	279.0
871.3	1219	-4.6	-5.0	97	3.05	190	13	279.4	288.1	279.9
850.0	1413	-5.9	-5.9	100	2.91	205	11	279.9	288.3	280.4
837.9	1524	-6.7	-6.7	100	2.77	210	10	280.2	288.2	280.7
805.5	1829	-9.0	-9.0	100	2.42	155	9	281.0	288.1	281.4
774.3	2134	-11.2	-11.2	100	2.11	150	9	281.8	288.0	282.2
749.0	2391	-13.1	-13.1	100	1.87	150	12	282.4	288.0	282.8
744.4	2438	-12.0	-12.6	96	1.97	150	12	284.1	290.0	284.4
743.0	2452	-11.7	-12.4	95	2.00	156	12	284.6	290.6	284.9
738.0	2504	-12.1	-13.2	92	1.88	177	12	284.7	290.4	285.1
731.0	2577	-12.5	-19.5	56	1.12	207	11	285.1	288.6	285.3
715.2	2743	-12.7	-22.2	45	0.91	275	10	286.6	289.5	286.8
700.0	2907	-12.9	-24.9	36	0.73	280	13	288.2	290.5	288.3
690.0	3017	-13.1	-28.1	27	0.55	292	11	289.1	290.9	289.2
687.2	3048	-13.2	-28.0	28	0.56	295	10	289.4	291.2	289.5
672.0	3218	-13.7	-27.7	30	0.59	295	11	290.6	292.6	290.8
660.0	3353	-14.8	-27.9	32	0.59	295	12	290.9	292.8	291.0
633.4	3658	-17.5	-28.4	38	0.59	275	11	291.3	293.2	291.4
608.1	3962	-20.1	-28.8	46	0.59	270	10	291.7	293.7	291.8
583.6	4267	-22.7	-29.2	55	0.59	240	11	292.1	294.1	292.2
560.2	4572	-25.3	-29.7	67	0.59	240	10	292.5	294.4	292.6
555.0	4641	-25.9	-29.8	70	0.58	236	10	292.6	294.5	292.6
537.1	4877	-27.6	-33.8	56	0.41	220	9	293.3	294.7	293.3
516.0	5166	-29.7	-38.7	41	0.26	215	10	294.1	295.0	294.2
514.8	5182	-29.8	-39.8	37	0.24	215	10	294.2	295.0	294.2
506.0	5305	-30.7	-47.7	17	0.10	221	9	294.5	294.9	294.6
500.0	5390	-31.5	-47.5	19	0.11	225	8	294.6	295.0	294.6

CYEG 071337Z 13003KT 12SM SCT008 BKN015 OVC039 M01/M03 A2987 RMK SF4SC2SC2 BR SLP146=

CYEG 071300Z 16002KT 12SM -SN OVC008 M01/M03 A2987 RMK ST8 BR SLP145=

CYEG 071200Z 14005KT 15SM -SN OVC009 M01/M03 A2987 RMK ST8 SLP144=

CYEG 071100Z 13007KT 15SM -SN BKN009 OVC012 M01/M03 A2987 RMK SC7SC1 SLP145=

CYEG 071000Z 14008KT 15SM -SN OVC009 M01/M03 A2987 RMK SC8 SLP144=

CYEG 070900Z 14007KT 15SM -SN OVC009 M01/M03 A2988 RMK SC8 SLP147=

CYEG 070855Z 13007KT 15SM -SN OVC009 M01/M03 A2988 RMK SC8 SLP147=

CYEG 070800Z 13009KT 15SM FEW011 OVC035 M01/M04 A2989 RMK SF1SC8 SF TR SLP152=

CYED 071300Z AUTO 09003KT 9SM OVC011 M01/ A2987 RMK SLP144=

CYED 071200Z AUTO 16003KT 9SM OVC013 M00/ A2987 RMK SLP143=